

# Epicycles vs Heliocentrism

PCES 4.10




Copernicus (1473-1543)

The first cracks in the Aristotelian Dogmatic cosmology appeared far from Rome, in Poland, where Nikolaus Copernicus gradually put together a heliocentric theory of the solar system. This was more difficult than it looked- the eccentric nature of the planetary orbits meant that the usual picture of the Copernican system (below right) is oversimplified. The astronomical Instruments of the 15<sup>th</sup> century were of high enough quality to make this a big problem




An astrolabe (c. 1430)



One variant of Epicycles

If the orbits are taken to be circular, then it is easy to see that the Apparent motion of the Planets seen from the Earth (as well as the Solar motion) would be identical in the old Ptolemaic system and The new Copernican System.



The Copernican system (published 1643)



Tycho Brahe (1546-1601)


# Tycho Brahe & Uraniborg

PCES 4.11


The ideas of Copernicus were slow to catch on. Curiously, one of the principal architects of the changing views was strongly opposed to them. Tycho Brahe was a remarkable pioneer in observational astronomy, whose opinions now seem a bizarre mix to us- he believed that events were determined by the stars and the motion of the planets relative to them (ie., in astrology), but he was shaken by the appearance in 1572 of a new very bright star in the sky- this contradicted Aristotelian dogma about the immutability of the stars (and Tycho exploded the prevailing opinion that the star was a comet by careful observation). Soon thereafter the King of Denmark gave Tycho his own island to build the observatory of Uraniborg, & over the next few decades he developed instruments to record the motions of the moon, comets, & planets more accurately than ever before. On his death bed he begged Kepler not to use these against Aristotle's system.



Supernova in Cassiopeia (1572)



Tycho's 2 metre sextant



Plan of Uraniborg estate





J. Kepler (1571-1630)

## J. Kepler (I)

Kepler was an assistant to Tycho, who spent years analysing the data he had amassed at Uraniborg. He concentrated on trying to understand the orbit of Mars, albeit with an initial belief in a variant of Eudoxus celestial spheres, which he tried to fit between solid geometrical shapes. It is probably fortunate this was such a bad idea, and that he chose Mars, which has a rather

eccentric orbit. Hundreds of pages of mathematical analysis led him slowly but inexorably to a picture which he eventually summarized in the form of his 3 laws (next page). He also wrote the 1<sup>st</sup> science fiction novel (below left) and set the planetary motions to music)

*JOHANNIS KEPLERI*  
de tempore eundi, quàm Luna ab orientis partibus cepit deficere: quæ vbi tota laeserit, nobis adhuc in itinere hærentibus: irrua redditur nostra profectio. \*\* Tam præceps occasio efficit, vt paucos ex humana gente, nec alios, nisi nostri obseruantissimos comites habeamus. \*\* Ergo hominem aliquem huiusmodi agnitionem inuadimus, omnesque salubres nitentes in altum eum tollimus. \*\* Prima quoque molitio durissima ipsi accidit. \*\* Nec enim aliter torquetur ac si pulvere Bombardico excussus, motus & maria tranaret. \*\* Propter hæc Narcosis & Opusis latum in principio sopiendus est, & \*\* membratim explicandus, ne corpus à pedice, caput à corpore gesserit, sed vt violentia in singula membra dividatur. \*\* Tunc excipit noua difficultas, ingens frigus, & \*\* prohibita respiratio, \*\* quæ illi, ingenta nobis, \*\* hunc verò, spongiæ humiditas ad nares admotis, obuiam imus. \*\* Confecta primâ parte itineris,




## J. Kepler (II)

With great creative insight Kepler realised that he could understand the planetary motions to very high accuracy by starting from 3 hypotheses, which came to be known as Kepler's 3 Laws:

- (1) Each planet moves around the sun in an elliptical orbit, with the sun at one of the foci.
- (2) The radius vector of the orbit (from the sun to the planet) sweeps out equal areas in equal times- as shown in the figure.
- (3) If  $T$  is the orbital period of a planet, and  $a$  is the length of the semi-major axis (ie., half the length of the 'long diameter'), then

$$T \sim a^{3/2}$$

ie.,  $T^2 \sim a^3$ , or, to put it in words, the square of the orbital time period increases in proportion to the cube of the size of the orbit.



These laws were not completely accurate but they were FAR more accurate than anything before- with his combination of mysticism and respect for the astronomical facts, Kepler had broken the Aristotelian mold. However he had no EXPLANATION for his laws- they were just a way of understanding the data.